Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	22	(compar\$ or check\$ or determin\$) with (size near4 packet) with time- with network	USPAT	OR	OFF	2004/11/17 12:40
S28	1	(compar\$ with (size near4 data near4 packet) with time with network)	USPAT	OR	OFF	2004/11/17 12:05
S29	15	(compar\$ with (size near4 data leed near4 packet) with time)	USPAT	OR .	OFF	. 2004/11/17 12:06
S30	1093	7,09 <u>/201</u> .ccls.	USPAT	OR	OFF	2004/11/17 12:06
S31	1	S30 and (Compar\$ with (size near4 data) with time)	USPAT + 1	® E	OFF	2004/11/17 12:07
532	1	S30 and (compar\$ with (size near4 data) and (detect\$ near4 time))	USPAT	OR	OFF	2004/11/17 12:08
-S33 ₁	0	\$30 and ((compar\$ or track\$ or trac\$) with ((size near4 data))and (detect\$ near4 time)))	USPATE	OR	OFF	2004/11/17 12:09
S34	12	S30 and ((compar\$ or track\$ or trac\$) and ((size near4 data) and (detect\$ near4 time)))	USPAT	OR	OFF	2004/11/17 12:39
:S35	3	(compar\$) with (size near4 packet) with time with network	USPATI (12-13	OR -	OFF	2004/11/17 12:41
S36	14	(compar\$) with (size near4 packet) with time	USPAT	OR	OFF	2004/11/17 12:41
S37	6	(compar\$) with (size near4 data)	IUSPAT:	OR -	OFF	2004/11/18 16:16
		with (detects near4 time)		PACE S.		
S38	1	"6502135".pn.	USPAT	OR	OFF	2004/11/18 16:27
\$39 #	49	("5889273" "6222935" "6222935" "5535127" "5650854" "4285241" "4331864" "4375635" "4388610" "4408163" "4410910" "4415926" "4587617" "4626101" "4803638"	USPAT.	OR 1	OFF	2004/11/18 16:34
		"4862412" "4891602" "4901320 " "4922513" "4929824" "4929844" "4929844" "4929844" "4951038" "4958374" "5025418 " "5189378" "5257311" "5267332" "5303019" "5323003" "5493123" -				
		"5563916" "5568573" "5638307" "5641919" "5649095" "5651089" "5675404" "5693933" "5696843" "5699165" "5710842") pn				

	1				г .	T
S40	98	("5889273" "6222935" "6222935"	USPAT	OR	OFF	2004/11/18 16:27
1		"5535127" "5650854" "4285241"				
		"4331864" "4375635" "4388610"				
		"4408163" "4410910" "4415926"				
		"4587617" "4626101" "4803638"	1			
1		"4862412" "4891602" "4901320"	1			
	1	"4922513" "4929824" "4929844"			*	
	-	"4951038" "4958374" "5025418"				
ł		"5189378" "5257311" "5267332"				
1 .		"5303019" "5323003" "5493123"		-		
				1		
		"5500725" "5502814" "5515500"				•
		"5521634" "5528703" "5530645"				`
		"5530834" "5530837" "5546068"				
		"5563916" "5568573" "5638307"				
		"5641919" "5649095" "5651089"		-81		
	<u> </u>	"5675404" "5693933" "5696843"	ł			
1		"5699165" "5710842").pn.				
1		("5761338" "5765209 [°] "5787199"				
		"5798841" "5802078" "5864394"				
		"5867610" "58 944 87" "59 44 849"				
		"5963563" "5995219" "5999275"				
1 .		"6044326" "6097656" "6101505"				
		"6131059" "6164550" "6175524"				
		"6212249" "6212249" "6275290"				
		"6287765" "6298086" "6341241"				
		"6351550" "6351551" "6422065"			-	
	,	"6473665" "6243348" "6453269"				
		"5268908" "5930005" "6040896"				
		"4535428" "4558433" "4577292"	İ			
	•	"4616347" "4837709" "4918644"				
		"4962500" "5255131" "5428459"				
		"5477272" "5832235" "5930814"				
		"5959742" "6169544" "6333182"				,
		"6403337" "6475753").pn.				·
foreign Edited	\$25,61 00, 200,000,000	9 が記せているないでとなったからも、これに本理などのYMESは関		Tessaren in indirin	8-11967-0-477/44	Britiski (460.) – milo gravi se ogravaj
S41 =	-0	Control of the Contro	USPAT 法非	OR.	OFF -	2004/11/18-16:34
IV: I		near4 header)) and ("sequence"				
		number or "time stamp") and				
		detection and (link or access or				
		record or log))	Historian de la companya de la compa	Station in a		THE SECOND OF HEAVER A
54(1), 2 45	TALL AND THE STATE	 in 18, com felde, de 1 sjelig delige ift greid elimptift, få er mit mer placere den sjelig in at de 	HT CVASTT SHE	Indiana, Land	gmarka 2007 i	计12位的 计多数图象数据
S42	0	S40 and ((compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:30
		near4 header)) and ("sequence				•
		number" or "time stamp"))				
+C/12			THE PARTY OF	######################################	ATT IN	2004/11/40 16:20
+S43	1	S40 and (compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18-16:30
	操作的	near4 header))		多性的特殊		新新疆 一世中,所建
S44	16592	"709"/:ccls.	USPAT	OR	OFF	2004/11/18 16:34
	gy to periodical	NET COLONIA DE L'EXPERIENCE DE PROPERTIENT LE	amara lan alimatra	57.372 - 5	ta vije u ingate	Companyation install and a local
S45=1	完工20 :	S44 and ((compar\$ near7 (packet //+	USPAT # 4	₽OR :-	₽OFF : ``	2004/11/18 16:46
		Inear4 header)) and ("sequence	医医院 克里	医基层卧时		
		number" or "time stamp") and	公理证据企 權	對方向。這		
會抵消		detection and (link or access or				
1		record or log))				
	7	त्र १८ - १८ विक्रिक्षेत्र स्वतित्र । स्था न कालस्य विक्रिया स्थाप स्थाप । । । १९७३	- 11 · Y - 3 医 y3	High and the		建设不够。 新生产工程
S46	3	S44 and ((compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:49
		near4 header)) and ("time stamp")				
,		and detection and (access and				
		(record or log)))				
	<u> </u>	-	L			

S47	1	S44 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (record or (log near3 data))))	USPAT	OR	OFF	2004/11/18 16:51
\$48	13075	"713"/.ccls.	±USPAT -	OR	OFF	2004/11/18 16:50
S49	7	S48 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (record or (log near3 data))))	USPAT	OR	OFF	2004/11/18 16:52
S50	2	S44 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (hacker\$ or attack\$ or terrorism)))	USPATI	OR E	OFF	2004/11/18 16:53
S51	2	((compar\$ near7 (packet near4 héader)) and ("time stamp")) and (detection near7 (hacker\$ or attack\$ or terrorism))	USPAT	OR	OFF	2004/11/18 16:55
SS2	19	((compars_near7 (packet near4 header)) and ((detect near3 time) and "time stamp")) and (securs or detection or protects)	USPAT	OR	OFF	2004/11/18-16:57
S53	0	((compar\$ near7 (packet near4 header)) and ((detect near3 time) and "time stamp")) and ((secur\$ or detection or protect\$) near7 access)	USPAT	OR	OFF	2004/11/18 16:58
= S54	13	((compar\$ near7 (packet near4 header)) and ((time stamp")) and ((secur\$ or detection or protect\$) near7 access)	USPAT	OR	OFF	2004/11/19:13:58
S55	158	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT	OR	OFF	2004/11/19 14:50
S56	20	S55 and (access and chain and trac\$3)	USPAT	OR	ÖFF"	2004/11/19 14:03
S57	158	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	OFF	2004/11/19 14:02
\$58	.20	S57 and (access and chain and trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; JBMIJTDB	OR	OIII	.2004/11/19 14:03

S59	136	(access with chain with trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:04
S60	8	(access near3 chain near3 trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:07
S61	0	S59 and ((compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp"))	USPAT	OR	OFF	2004/11/19 14:07
S62	0	S59 and ((compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp"))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OŘ	OFF	2004/11/19 14:08
S63	70	S55 and detection and link	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:09
S64	99	(compar\$4 or determin\$5) near4 = (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) = and (access\$3 or link\$3 or path or connect\$3) and (trac\$3 or track\$3 or mornitor\$3);	USPAT	OR	OFF	-2004/11/19-15:01
S65	71	S64 and detection	USPAT	OR	OFF	2004/11/19 15:02
S66	42	S65 and "sequence number"	USPAT	± ⊙R	OFF	2004/11/19-15:02
S67	99	(trac\$3 or track\$3 or mornitor\$3)and (compar\$4 or determin\$5) near4 (data near2 size) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:02
S68	86	S67 and detection	USPAT	OR.	OFF	2004/11/19 15:02
S69	. 3	S68 and "sequence number"	USPAT	OR	OFF	2004/11/19 15:05
S70	46	compar\$3 near2 (data and packet, and header)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR-	OFF	2004/11/19 15:09
S71	785610	(trac\$3 or track\$3) and (link or access or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:07

572	24	S71 and S70	USPAT; USOCR;	OR	OFF	2004/11/19 15:07
		·	EPO; JPO; DERWENT; IBM_TDB			
S73	21	S72 and detection	USPAT;	OR	OFF	2004/11/19.15:07
			,USOCR; ERO; JPO;			
			DERWENT; .IBM_TDB			
S74	1	S73 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:08
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S75	134	compar\$3 near2 (packet near2 🚆	USPAT;	-OR	OFF	2004/11/19 15:18
		-header)	USOCR; EPO; JPO;			
4			DERWENT; IBM_TDB			
S76	18	S75 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:09
			USOCR; EPO; JPO; DERWENT; IBM_TDB		-	
S77	13	\$76 and detection	USPAT;	OR	OFF	2004/11/19 15:15
			EPO; JPO;	icky Fat P		
			DERWENT; IBM_TDB			
S78	4	("6515967" "6570867") .pn.	USPAT;	OR	OFF	2004/11/19 16:10
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S79	218	access with link with record	USPAT	OR	OFF [‡]	2004/11/19 15:18
			USOCR; -EPO; JPO;			
			#DERWENT; IBM_TDB			
S80	0	S79 and (compar\$3 near2 (packet	USPAT;	OR	OFF	2004/11/19 15:18
		near2 header))	USOCR; EPO; JPO; DERWENT; IBM_TDB			
S81	12	S79 and (packet-near2-header)	USPAT; USOCR;	OR	OFF	2004/11/19 15:19
			EPÖ; JPO; DERWENT; IBM_TDB			Lander of the Control

S82	6	S81 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:21
		·	USOCR; EPO; JPO; DERWENT; IBM_TDB			
S83		S82 and detection	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/11/19 15:19
S84	0	(detect\$3 or secur\$3) and (hack\$3 or attack\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:23
\$85	0	(detect\$3 or secur\$3) and (access or hack\$3 or attack\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3) header));and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFE.	2004/11/19-15:24
S86	0	(detect\$3 or secur\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:24
S87	23466	(detect\$3 or secur\$3) and (compar\$3 or determin\$3) and (data near2 size) or (packet near3 header))	USPAT; USOCR; EPO; JPO; DERWENT; IBM: TDB			2004/11/19 15:24
S88	1792	S87 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:25
<u>\$</u> 89	919	S88 and (hack\$3 or attack\$3 or access) and detection	USPAT; USOCR; EPO; JPO; DERWENT;	POR	OFF	2004/41/49 15:25
S90	215	S89 and "sequence number"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:26
*S91	17.1	S90 and ((link or access) near3 (record or data or table)) ,曲:	USPAT; USOCR; EPO;;]PO; DERWENT; IBM_TDB	#####################################	OFF	2004/11/19 15:27

S92	118	S91 and (compar\$3 and calculat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:29
S93	2	09/429643	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:53
594	2	60/106261	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:53
S95	3.	09/955431 09/950128 09/953528 .09/953735 09/955730 09/961626	US-PGPUB	OR	OFF	2004/11/19 16:11
S96	4	09/955431 09/950128 09/953528 09/953735 09/955730 09/961626	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 16:12
S97	0	10/827869 10/672342 09/772373	USPAT, USOCR; EPO: JPO; DERWENT; IBM_TDB	OR	ÖFF	2004/11/19 16:23
S98	3	10/827869 10/672342 09/772373	US-PGPUB	OR	OFF -	2004/11/19 16:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
.12	4481	709/201,224,225,229.cds.	USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/11/22 11:17
L3	1777	713/201,153,157,178,160.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:18
L4	7	I2 and (compar\$3 near3 (packet 山 near3 header))	USPAT; USOCR;+ EPO; JPO; DERWENT; IBM-ITOB	OR THE	OFF:	2004/11/22=11:26
L5	0	I4 and (size near2 data)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:20
.16	35 (I3 and ((detect\$3 or secur\$3) with (attack\$3 or hack\$3)) □	USPAT; USOCR; EPO; JPO; DERWENT; IBM TOB	OR.	OFF	2004/11/22 11:21
L7	48	l6 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:36
18	15	17 and (size near3 data)	USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR.	OFF	2004/11/22 11:22
L9	0	I4 and I8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:22
L10	Ö.	le and 7	USPAT; USOCR; EPO: JPO; DERWENT; IBM-TDB;	OR.	OFF	2004/11/22 11:22
L11	2	"6618806".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:36

L12	. 0	l11 and (packet or header or (data near2 size))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:37
L13	- 0	I11 and (packet or header)	USPAT;	OR	OFF	2004/11/22 11:37
			USOCR; EPO; JPO; DERWENT; IBM: TDB:			